

Stellartone® Vari-ToneStyler Street / Retail Price List

Effective 3/21/2017

p.1 of 3

Product Number	Name	Instrument types & controls	Description	STREET / RETAIL: 20% off of LIST PRICE	List
----------------	------	-----------------------------	-------------	--	------

Vari-ToneStyler® GUITAR system

VTS-G	Vari-ToneStyler MONO GUITAR	Fender, Gibson, Misc. (Master volume only)	<p>Six-position MONO rotary switch module, for master-volume guitars. Two selectable/blendable passive filter modes: Varitone (mid-range V-notch) and ToneStyler (mid-resonance / hi-cut). Ten EQ filters selectable in five rotary positions #2 - #6; true bypass or 500k/.022uF tone pot loading bypass selected in switch position #1. Maximum capacitance: .01uF.</p> <p>Polymer-molded control module: 0.9" dia. X 0.85" behind-panel depth, 1/2" MID-length bushing, 3/8-32 USA thread size, USA 24-FINE-SPLINE-SOLID multi-use tip fits push-on, 6mm hole & 1/4" hole set-screw knobs. Hand-wired in the U.S.A. REQUIRES interconnection of one audio frequency choke ST-15H-1C and choice of one filter mode control (each included), as described below.</p> <p><i>MONO Vari-ToneStyler systems are for MASTER VOLUME guitars and basses only... NO MULTIPLE VOLUME KNOBS! See Stellartone's wiring diagrams for converting a dual-volume instrument, such as the Gibson ES-345, to master volume + blend, allowing MONO Vari-ToneStyler compatibility. Otherwise, to retain original "volume-tone-volume-tone" control wiring (ES-345) with either a stereo or mono output, a special-order STEREO Vari-ToneStyler system is required.</i></p>	\$328.00	\$410.00
--------------	------------------------------------	--	---	----------	----------

VTS-SG	Vari-ToneStyler STEREO GUITAR	Fender, Gibson, Misc. (Dual volumes)	<p>Six-position STEREO rotary switch module, for volume-tone-volume-tone guitars. Two selectable/blendable passive filter modes: Varitone (mid-range V-notch) and ToneStyler (mid-resonance / hi-cut). Each pickup channel features ten EQ filters selectable in five rotary positions #2 - #6; true bypass or 500k/.022uF tone pot loading bypass selected in switch position #1. Maximum capacitance: .01uF. May be configured without ToneStyler filter option.</p> <p>Polymer-molded control module: 0.9" dia. X 0.85" behind-panel depth, 1/2" MID-length bushing, 3/8-32 USA thread size, USA 24-FINE-SPLINE-SOLID multi-use tip fits push-on, 6mm hole & 1/4" hole set-screw knobs. Hand-wired in the U.S.A. REQUIRES interconnection of TWO audio frequency chokes ST-15H-1C and optional filter mode control as described below. May be configured for stereo and/or mono outputs.</p>	\$578.00	\$722.50
---------------	--------------------------------------	--------------------------------------	--	----------	----------

			Audio Frequency Choke Module ST-15H-1C: 15 Henry inductance, humbucking, potted mu-metal case, zero noise, non-microphonic. 1.7"x1.15"x1", 3.7 oz. With detachable mounting hardware. Hand-wired in the U.S.A.	Included (One @ Mono, Two @ Stereo)	
			External filter mode control: DPDT switch, push-pull pot, or tandem 250kohm/1Megohm blender pot; choose from the following "optional parts and accessories" pages when ordering.	Optional (see below)	

Vari-ToneStyler® BASS system

VTS-B	Vari-ToneStyler BASS	Fender P-Bass, Misc. (Master volume only)	<p>Six-position MONO rotary switch module, for master-volume basses. Two selectable/blendable passive filter modes: Varitone (mid-range V-notch) and ToneStyler (mid-resonance / hi-cut). Ten EQ filters selectable in five rotary positions #2 - #6; true bypass or 250k/.047uF tone pot loading bypass selected in switch position #1. Maximum capacitance: .069uF. REQUIRES interconnection of one audio frequency choke ST-15H-1C and choice of one filter mode control (each included), as described above.</p> <p><i>See complete specs and application notes in Vari-ToneStyler GUITAR description above.</i></p>	\$328.00	\$410.00
--------------	-----------------------------	---	---	----------	----------

Effective 3/21/2017

Stellartone® Vari-ToneStyler Street / Retail Price List

p.2 of 3

Product Number	Name	Instrument types & controls	Description	STREET / RETAIL: 20% off of LIST PRICE	List
----------------	------	-----------------------------	-------------	--	------

Stellartone Vari-ToneStyler® optional parts & accessories

<i>DPS-B</i>	Dial plate		Dial Plate, Small, Black. 1 1/4" / 32mm diameter matches size of "chicken head" pointer knobs. Anodized aluminum, with laser-cut numerals 1-6. Made in U.S.A.	\$9.60	\$12.00
<i>DPS-G</i>	Dial plate		Dial Plate, Small, Gold. 1 1/4" / 32mm diameter matches size of "chicken head" pointer knobs. Anodized aluminum, with silk-screen black numerals 1-6. Made in U.S.A.	\$9.60	\$12.00
<i>DPM-B</i>	Dial plate		Dial Plate, Medium, Black. 1 5/8" / 41.3mm diameter. Anodized aluminum, with laser-cut numerals 1-6. Made in U.S.A. (1/4" smaller than Gibson's large 1 7/8" / 47.6mm diameter varitone plate)	\$9.60	\$12.00
<i>DPM-G</i>	Dial plate		Dial Plate, Medium, Gold. 1 5/8" / 41.3mm diameter. Anodized aluminum, with silk-screen black numerals 1-6. Made in U.S.A. (1/4" smaller than Gibson's large 1 7/8" / 47.6mm diameter varitone plate)	\$9.60	\$12.00

<i>CHK-W</i>	Chicken-head knob		Daka-Ware Chicago "Chicken-head" pointer knob, OEM reissue of vintage 1958 varitone knob. White Melamine, 1/4" hole, 8-32 slotted set-screw.	\$2.90	\$3.62
<i>CHK-B</i>	Chicken-head knob		Daka-Ware Chicago "Chicken-head" pointer knob, OEM reissue of vintage 1958 varitone knob. Black Melamine, 1/4" hole, 8-32 slotted set-screw.	\$2.90	\$3.62
<i>CHK-C</i>	Chicken-head knob		Daka-Ware Chicago "Chicken-head" pointer knob, OEM reissue of vintage 1958 varitone knob. Chrome -plated Melamine, 1/4" hole, 8-32 slotted set-screw.	\$7.15	\$8.94
<i>CHK-N</i>	Chicken-head knob		Daka-Ware Chicago "Chicken-head" pointer knob, OEM reissue of vintage 1958 varitone knob. Nickel -plated Melamine, 1/4" hole, 8-32 slotted set-screw.	\$7.15	\$8.94
<i>CHK-G</i>	Chicken-head knob		Daka-Ware Chicago "Chicken-head" pointer knob, OEM reissue of vintage 1958 varitone knob. 24 carat GOLD -plated Melamine, 1/4" hole, 8-32 slotted set-screw.	\$11.65	\$14.56

Stellartone® Vari-ToneStyler Street / Retail Price List

Effective 3/21/2017

Product Number	Name	Instrument types & controls	Description	STREET / RETAIL: 30% off of LIST PRICE	List
----------------	------	-----------------------------	-------------	--	------

Aftermarket optional parts & accessories (30% off list)

EP-2654	Tandem Pot		CTS Tandem Potentiometer, 250kohms + 500kohms A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$9.45	\$13.50
EP-2655	Tandem Pot		CTS Tandem Potentiometer, 250kohms + 1Megohm A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$9.45	\$13.50
EP-2653	Tandem Pot		CTS Tandem Potentiometer, 250kohms + 500kohms A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/4" LONG-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$9.45	\$13.50
EP-2652	Tandem Pot		CTS Tandem Potentiometer, 250kohms + 1Megohm A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/4" LONG-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$9.45	\$13.50
EP-2654-NL	No-Load Tandem Pot		CTS "No-Load" Tandem Potentiometer, 250kohms + 500kohms A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$11.45	\$16.36
EP-2655-NL	No-Load Tandem Pot		CTS "No-Load" Tandem Potentiometer, 250kohms + 1Megohm A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$11.45	\$16.36
EP-2653-NL	No-Load Tandem Pot		CTS "No-Load" Tandem Potentiometer, 250kohms + 500kohms A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/4" LONG-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$11.45	\$16.36
EP-2652-NL	No-Load Tandem Pot		CTS "No-Load" Tandem Potentiometer, 250kohms + 1Megohm A-taper dual decks, one actuator shaft, w/USA split-shaft tip, 3/4" LONG-length 3/8-32 bushing. REPLACES TWO TONE CONTROLS IN ONE MOUNTING HOLE.	\$11.45	\$16.36
W2944-2	Shielded Cable		Mogami RED 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
W2944-4	Shielded Cable		Mogami YELLOW 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
W2944-5	Shielded Cable		Mogami GREEN 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
W2944-6	Shielded Cable		Mogami BLUE 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
W2944-8	Shielded Cable		Mogami GRAY 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
W2944-9	Shielded Cable		Mogami WHITE 2-cond + shield miniature cable, 0.1" OD, low capacitance, high-temp insulation, 1 yard	\$1.20	\$1.71
EP-8385	Push-pull Pot		Alpha Push-pull volume pot, 250k A-taper, DPDT slide switch, 1/4" solid-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing.	\$9.00	\$12.86
EP-0283	Push-PUSH Pot		Alpha Push-PUSH volume pot, 250k A-taper, DPDT slide switch, w/USA fine split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing.	\$11.20	\$16.00
EP-0296	Push-PUSH Pot		Alpha Push-PUSH volume pot, 500k A-taper, DPDT slide switch, w/USA fine split-shaft tip, 3/8" MEDIUM-length 3/8-32 bushing.	\$11.20	\$16.00
EP-0696	Push-PUSH Pot		Alpha Push-PUSH volume pot, 500k A-taper, DPDT slide switch, w/USA fine split-shaft tip, 3/8" LONG-length 3/8-32 bushing.	\$13.30	\$19.00